No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
1	Carbide rings VK30	pcs	Used as a tool for rebar rolling		8101 99 900 0	80,0
2	Carbide rollers	pcs	Used as a tool for rebar rolling		8101 99 900 0	84,0
3	Carbide cutters T14K8	pcs	Used as a tool for processing railway wheels		8101 99 900 0	600,0
4	Acid resistant powder		Used for lining high temperature furnaces, acid baths		6914 90 000 0	150,0
5	Thermocouples THA	pcs	Used to determine the temperature in furnaces up to 1300 °C		8101 99 900 0	1200,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
6	Drilling carbide tools (drill bits)	pcs	Applicable for rock drilling		8101 99 900 0	5200,0
7	Ceramic crucibles	ton	Used for assay analysis		6909 90 000 0	25,0
8	Internal housing for pump 28 Gr		They are used as accessories for pumps used for pumping abrasive slurry		8413 91 000 8	8,0
9	Armor cone crusher KSD-3000	set	Used as a spare part for cone crushers		8474 90 100 0	3,0
10	Bearing housing Ø 1900	pcs	Used as a spare part for mills		8474 90 900 0	6,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
11	Trunnion (repair of the cover of the mill MShR 4.5x6.0)	pcs	Used as a spare part for cone crushers		8474 90 900 0	1,0
12	Roller Ø 1300 rotary kiln	pcs	Used as spare part for rotary kiln		8417 90 000 0	1,0
13	Reducer housing TsTND-400	pcs	Used as a spare part for gearboxes		8483 40 230 0	2,0
14	Spare parts for pump 1-GRT-5000/81	ייטו	They are used as accessories for pumps used for pumping abrasive slurry		8413 70 810 0	9,0
15	Spare parts for pump 2-GRT-12000/81		They are used as accessories for pumps used for pumping abrasive slurry		8413 70 810 0	9,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
16	Plate PP 2-18	pcs	Used when transporting ore by apron feeder		8431 39 000 0	150,0
17	Crusher drive housing KSMD- 3000	pcs	Used as a spare part for cone crushers		8474 90 100 0	3,0
18	Crusher drive housing KSMD- 2200	pcs	Used as a spare part for cone crushers		8474 90 100 0	4,0
19	Plate spherical mill MShR 3.6x5.0	pcs	Used as a spare part for mills		8474 90 100 0	2,0
20	Plate spherical mill MShR 2.7x3.6	pcs	Used as a spare part for mills		8474 90 100 0	2,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
21	Zinc oxide	ton	It is used in the creation of abrasive toothpastes and cements in therapeutic dentistry, in sunscreens and cosmetic procedures, in the production of electrical cables, artificial leather and rubber products, in the tire, paint and varnish, oil refining industries, in the production of glass and ceramics		7903 90 000 0	600,0
22	Spare parts for mill equipment	pcs	Used as a spare part for mills		8474 90 900 0	65,0
23	Spare parts for crushing equipment	pcs	Used as a spare part for cone crushers		8474 90 100 0	143,0
24	Spare parts for excavators	pcs	Used as spare part for EKG type excavator		8431 49 200 0	137,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
1 / 5	Spare parts for conveyor equipment	thousan d pcs	Used as a spare part for conveyors		8431 39 000 0	11,5
26	Rubber products	thousan d pcs	Used as accessories for various equipment		8474 90 900 0	11,0
27	Non-standard equipment	thousan d pcs	Used as accessories for various equipment		8474 90 900 0	678,0
	Spare parts from manganese steel grade 110G13L	ton	Used as accessories for various equipment		8474 90 100 0 8474 90 900 0	4200,0
29	Spare parts made of cast iron 300X28H2, SCh	pcs	Used as accessories for various equipment		8474 90 100 0 8474 90 900 0	1287,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
	Spare parts made of steel grade 20L-40L	pcs	Used as accessories for various equipment		8474 90 100 0 8474 90 900 0	27,0
31	Tungsten metal	ton	Used to produce tungsten wire and alloy steel.	· · · · · · · · · · · · · · · · · · ·	8101 99 900 0	12,0
32	Hard-alloy plates soldered from grade VK	ton	Used for processing steel structures		8101 99 900 0	4,5
	Hard-alloy plates soldered from the brand TK	ton	Used for processing steel structures		8101 99 900 0	4,5
	Replaceable multifaceted carbide inserts from VK grade	kg	Used for processing steel structures		8101 99 900 0	1200,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
	Replaceable multifaceted carbide inserts from the brand TK	kg	Used for processing steel structures	323	8101 99 900 0	1200,0
36	Molybdenum wire	kg	Used as heaters		8102 96 000 0	600,0
37	Tungsten wire	kg	Used as heaters		8101 96 000 0	600,0
38	Guide rollers	nce	Used as component parts for various equipment		8431 49 800 9	500,0
39	Casting on impellers	pcs	Used as component parts for various equipment		8413 91 000 8	250,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
40	Stainless muffle	nce	Used as component parts for various equipment		8417 90 000 0	40,0
41	Single-channel ceramic muffle	pcs	Used as component parts for various equipment	Mauria sus 😂	6909 90 000 0	50,0
42	Ceramic hearth blocks	ייטו	Used as component parts for various equipment		6909 90 000 0	350,0
43	Fireproof scorifying dish for assay test		Used as component parts for various equipment		6909 90 000 0	3500,0
44	Turning cutters VK, TK	pcs	Used for metal processing		8101 99 900 0	600,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
45	Countersink bit VK8	pcs	Used for metal processing		8101 99 900 0	200,0
46	Cutter VK8	pcs	Used for metal processing	The state of the s	8101 99 900 0	40,0
47	Targets for sputtering	pcs	Used as a spray and coating		8101 99 900 0	30,0
48	Nano powder of tungsten and molybdenum	kg	Used as an additive in carbide products		8101 99 900 0 8102 99 000 0	4,0
49	Tungsten-copper gradient contacts	ייטו	Used as component parts for various equipment		8101 99 900 0	50,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
50	Carbide insert	Vα	Used as component parts for various equipment		8101 99 900 0	60,0
51	Carbide inserts MS22	nce	Used as component parts for various equipment		8101 99 900 0	770,0
52	Carbide pin	nce	Used as component parts for various equipment		8101 99 900 0	1500,0
53	Cone KSMD 2200	pcs	Used as a spare part for cone crushers		8474 90 900 0	1,0
54	Bearing housing Ø 1350, h-500, 510	pcs	Used as a spare part for mills		8474 90 900 0	4,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
55	Idler wheel for excavators type EKG-5A, 10, 15	pcs	Used as spare part for EKG type excavator		8431 49 200 0	6,0
56	Support wheel for excavators EKG-10, 15	pcs	Used as spare part for EKG type excavator		8431 49 200 0	3,0
57	Mill lining MMPS 50×34	set	Used as a spare part for mills		8474 90 100 0	1,0
58	Mining trolleys		They are used in mines for transportation of ores and various cargoes on rail tracks.		8606 99 000 0	25,0
59	Shells of MShR type mills	pcs	Used as a spare part for mills		8474 90 900 0	6,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
60	Spherical thrust bearing	pcs	Used as a spare part for mills		8474 90 900 0	2,0
61	Pinch valve KRSh-150	pcs	Used as shut-off valves in pipelines	8	8481 80 639 0	50,0
62	Zinc sulfate technical		It is used in the production of viscose, mineral paints, glazes, enrichment processes (flotation agent), medicine and agriculture		2833 29 200 0	1200,0
63	TsAM (Zamac) alloy	ton	It is used as a raw material for the manufacture of various products for the automotive and light industries.	СПЛАВ ДА М ДАВ А М	7901 20 000 0	85,0
64	Roller Ø 1200 rotary kiln	pcs	Used as spare part for rotary kiln		8417 90 000 0	1,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
65	Deflector		It is used as a component for equipment used in cement production		8417 90 000 0	1,0
66	Fasteners for railway tracks R24	L (T	Used in the repair and construction of railways	1 1 1 1 C	7302 40 000 0	500,0
67	Fasteners for railway tracks P65	Vα	Used in the repair and construction of railways	1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	7302 40 000 0	1000,0
68	Mill drive housing MShR 4.5x6.0	pcs	Used as a spare part for mills		8474 90 100 0	1,0
69	Spare parts for pump type "Naipu"	pcs	Used as a spare part for pumps		8413 91 000 8	4,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
70	Spherical bearings for moving joints (SHSL)	set	Used as a spare part for BelAZ dump trucks		8482 99 000 0	800,0
71	Spare parts for cement plant equipment	pcs	Used as a spare part for cement plant equipment		8474 90 100 0	300,0
72	Spare parts for BelAZ dump trucks	pcs	Used as a spare part for BelAZ dump trucks		8708 99 970 9	500,0
73	Pinion shaft m-28, z-43	pcs	Used as a spare part for cone crushers		8474 90 100 0	1,0
74	Mill cover MShR 3.6×5.0 (recovery)	pcs	Used as a spare part for mills		8474 90 100 0	6,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
75	Spare parts for pumps GRT 13000	pcs	Used as a spare part for pumps		8413 70 810 0	5,0
1/6	Bucket tooth for excavators EKG-20, 25	pcs	Used as a spare part for EKG excavators		8431 49 200 0	98,0
77	Tungsten anhydride (WAT)	ton	These materials are widely used in aircraft and rocket manufacturing to coat the surface of parts, such as turbine blades, valves. They are also widely used in modern X-ray technology and radio electronics.		3604 1000 00	5,0
	(PVA-H) Tungsten salts purified at a high level		Salts of tungsten are used to impart fire resistance to some fabrics. Heavy expensive silks owe their beauty to the tungsten salts with which they are impregnated.	Name K podpos	8101 99 9000 01	1,5

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
79	Carbide drill	nce	GOST17274-71 For processing high hardness materials		8207 5050 00	500,0
80	Carbide cutters	pcs	GOST 18372-73 For processing high hardness materials		8207 9091 00	500,0
81	End-cutting tools	pcs	GOST 17025-71, OST10903-77 End tools (drills, countersinks, reamers and milling cutters) are made in one piece and prefabricated. For solid tools, the working part is made of high-speed steel, and the shank is made of structural steel 40 or St. 6	FORM 100 MIN 1	8207 7031 00	5000,0
82	High temperature ceramic products	ton	GOST 390-96; GOST 8691-73 This substance has excellent thermal conductivity, is a good electrical insulator and is able to withstand high thermal effects.		8532 2400 00	400,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
83	Spare parts for pump Warman 150 QRC-BH	set	Slurry pumps are used for pumping heavily contaminated liquids, water with ore residues after washing, sand and soil particles. The equipment is specially designed to work in harsh conditions, pumping water with foreign particles and high concentrations of impurities.		8413 91 0008	6,0
84	Armor crushing equipment KMD-2200 T1 D1M	pcs	Cone crusher KSD-2200 and KMD-2200 is the most common and most productive equipment designed for crushing rocks, ores of ferrous and non-ferrous metals, in comparison with other crushing machines. The process of crushing and unloading is continuous, there are no idle intervals during operation. In a fixed cone there is a		8474 9010 00	36,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
85	Armor of crushing equipment KSD- 2200 Gr D1M	pcs	continuous movement of the inner. In this case, the movable cone, having a smaller radius, moves along its own axis, hitting the outer cone along the circumference, thereby releasing a diametrically opposite plane for removing crushed particles. As a result of the impact, under the influence of its own weight, the crushed fractions fall down, thereby freeing the entry of new, solid material into the crusher.	127 3. U7.347	8474 90 9000	12,0
86	Armor crushing equipment KMD-3000 T2 D1PM	set	Cone crusher KMD-3000 is the most common and most productive equipment designed for crushing rocks, ores of ferrous and non-ferrous metals, in comparison with other crushing machines. crushing process	From Linear con	8474 90 9000	4,0
87	Flotoblock RIF-25	pcs	Pneumatic flotation machine RIF is designed for beneficiation of non-ferrous and rare metal ores by froth flotation with a solid content in the pulp of up to 50% by weight and a particle size of at least 45% of class -0.074 mm with an ore density of up to 4.7 t/m3.			12,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
88	Flotation block RIF-45	pcs	Modular pneumomechanical flotation machine RIF 25 manufactured by RIVS. Chamber volume 24 - 27 cu. m, capacity 20 cubic meters. m/min, engine power 37 kW. The flotation machine is used for beneficiation of ores by froth flotation.			12,0
89	End walls MShR 2.7x3.6	pcs	The mill is used for grinding ore in mining, chemical mining and other industries and operate continuously in various technological schemes in an open or closed cycle.		8474 90 1000 02	2,0
90	Jaws for jaw crusher PEG-1215	pcs	The principle of operation of the jaw crusher is based on the compression of the material by the working surfaces (cheeks), which leads to the occurrence of high compressive and shear stresses that destroy the material.			4,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
91	Mill trunnion MShR 3.6x5.0	pcs	Ball mills MShR consist of a cylindrical drum, closed at the ends with conical walls, to which hollow trunnions are attached - loading and unloading. The inner surfaces of the drum and the cover have a replaceable lining, consisting of cast armor made of wear-resistant manganese steel 110G13L.		8474 90 1000 01	4,0
92	Cone KSMD 3000 (repair)	pcs	Cone crushers, due to their design features, work effectively only with limited degrees of crushing of the material, and therefore the overall crushing process (crushing cycle) is carried out in several successively operating crushers, i.e. consists of several stages of crushing.		8474 90 1000 03	1,0
93	Mill lining MMPSI 9.5x5.4 (reinforced)	set	Liners that are most subject to wear are made of a stronger material, and these wear parts are usually designed to be individually replaced.		8474 9010 000 10	3,0
	Spare parts for aeration units RIF- 25 and RIF-45	set	To replace worn parts of flotation machines	2		100,0

No.	Description of localized product	Unit	Application	Photo	H.S. commodity code	Production volume for 2022
95	Casting on gas-modified models	ton	the essence of the applied technology is based on the fact that the liquid metal, when pouring the mold, displacing (gasifying) the polystyrene foam model, takes its shape. This technology allows us to produce products of increased accuracy and reliability for the enterprises of the metallurgical, petrochemical and energy industries:			90,0
96	Barrels for packing Molybdenum	pcs	For transportation of molybdenum powder or rods		2613 1000 00	2800,0
97	Iron powder	ton	iron powder obtained by the methods of reduction and spraying of metal melt with high-pressure water or compressed air, intended for the manufacture of products by powder metallurgy, welding materials and other purposes.		7205 2900 00	15,0